



Developer Platform

Products ▾

Docs ▾

Use Cases ▾

Community ▾

Support ▾

Developer Portal




أولاً يجب الدخول إلى developer.twitter.com بعد ذلك النقر على Developer Portal  
First of all go to developer.twitter.com then click Developer Portal

# Tap into what's happening to build what's next

Get immediate access to the X API and unlock the potential of the X data

Subscribe now







Basic

Pro NEW



X's v2 API

Build using X's powerful v2 API endpoints



Write: 3,000 Posts per month

Post up to 3,000 Posts per month



Read: 10,000 Posts per month

Retrieve up to 10,000 Posts per month




If you need higher levels of access, [click here](#) to contact us and tell us more about your needs.



\$100.00 USD/month

Subscribe to Basic

[Sign up for Free Account](#)





## Developer agreement & policy

### Describe all of your use cases of Twitter's data and API:

We need this information for data protection. [Learn more](#)

Sharing a good content in X(Twitter community) including images , video, posts and tweets and just to test to explain to the visitors of my website AbdullahAlmohsen.com ! just this. off course I won't violate the X agreements and Terms and conditions

☒ You understand that you may not resell anything you receive via the Twitter APIs

☒ You understand your Developer account may be terminated if you violate the Developer Agreement or any of the Incorporated Developer Terms

☒ You accept the Terms & Conditions

By clicking on the box, and by otherwise accessing or using any Licensed Material, you indicate that you have read and agree to this [Developer Agreement](#) and the [Twitter Developer Policy](#)

Back

Submit

اكتب وصفاً لاستخداماتك لبيانات تويتر والـ API.  
الوصف يجب أن يكون من 250 حرف أو أكثر  
بعدها تأكد أن أنك وافقت على الشروط واضغط Submit

Write a description of your use cases of  
Twitter's data and API. The description must  
contain 250 letter or more. After that, make  
sure you agree check these checkboxes then  
click Submit




## Dashboard



Create a Project to use v2 endpoints

+ Create Project



### Sample Apps

Check out our library of sample Apps on Glitch and clone one to get started.

View sample Apps



### Helpful docs

[Docs home](#)

[Make your first request](#)

[What to build](#)

[Platform overview](#)

[About the X API](#)

[About Projects](#)



# Name Your Project

- 1 Project name
- 2 Use case
- 3 Project description
- 4 App set up

Your Project helps you organize your work and monitor your usage with the X API.

اكتب اسماً للمشروع  
Write project name

71

# Which best describes you?

- 1 Project name
- 2 Use case
- 3 Project description
- 4 App set up

This is how you intend to use the X developer platform.

اختر اي خيار  
Choose any option

Making a bot

# Describe your new Project

- 1 Project name
- 2 Use case
- 3 Project description
- 4 App set up

This info is just for us, here at Twitter. It'll help us create better developer experiences down the road.

قم بكتابة اي وصف  
Write any description

Just this I time I want to test

Back

Next

# Name your App

- 1 App name
- 2 Keys & Tokens

Apps are where you get your access **keys & tokens**, plus set permissions. You can find them within your Projects.

اختر اسم  
Choose an app name

JustATestApp

20



# Here are your keys & tokens

- 1 App name
- 2 Keys & Tokens

For security, this will be the last time we'll fully display these. If something happens, you can always regenerate them. [Learn more](#)

## API Key ⓘ

m6DenwvNKiSceVFUFpouc4VzV

Copy

## API Key Secret ⓘ

9SCNbFVyGTE8ufYu4WCS3e9bg7o7x4SOPaE2AqvXn5hAUTTsmL

Copy

## Bearer Token ⓘ

AAAAAAAAAAAAAAAAAAAAAPunswEAAAAAmOXFCNaHISlwc%2B...

Copy

### Setup your App

Your App settings page will allow you to [enable 3rd party authentication](#), [get user tokens](#) and more.

Go to dashboard

App settings



Developer Portal

Dashboard

Projects & Apps

Overview

JustATest

JustATestApp

Products

NEW

Account

JUSTATEST

JustATestApp

Settings

Keys and tokens

App details

Edit

NAME

JustATestApp

APP ICON

APP ID

28551163

DESCRIPTION

This information will be visible to people who've authorized your App

This app was created to use the X API.

User authentication settings

User authentication not set up

Authentication allows users to log in to your App with Twitter. It also allows your App to make specific requests for authenticated users.

Set up

Authentication docs

Authentication methods

v2 endpoints available with OAuth 2.0



You can change these selections anytime.

**App permissions** (required)

These permissions enable OAuth 1.0a Authentication. ⓘ

- ☐ Read  
Read Posts and profile information
- ☐ Read and write  
Read and Post Posts and profile information
- ☒ Read and write and Direct message  
Read Posts and profile information, read and post Direct messages
- ☒ Request email from users  
To request email from users, you are required to provide URLs to your App's privacy policy and terms of service.

**Type of App** (required)

The type of App enables OAuth 2.0 Authentication. ⓘ

- ☐ Native App ⓘ  
Public client ⓘ
- ☒ Web App, Automated App or Bot ⓘ  
Confidential client ⓘ

**App info**



**Authentication mapping**

Find out which v2 endpoints can be used with which authentication methods.

[View guide](#)



## App info

Callback URI / Redirect URL [\(required\)](#) ⓘ

https://apple.com

+ Add another URI / URL

اكتب عنوان أي موقع ثم اضغط Save  
Write any website then click Save

Website URL [\(required\)](#)

http://apple.com/

Organization name (optional)

This name will be shown when users authorize your App

Organization URL (optional)

This link will be shown when users authorize your App

https://

Terms of service (optional)

A link to your terms of service will be shown when users authorize your App.

https://

Privacy policy (optional)

A link to your privacy policy will be shown when users authorize your App.

https://

Cancel

Save



# Here is your OAuth 2.0 Client ID and Client Secret

For security, this will be the last time we'll fully display the Secret.

- Save it in a secure location
- Treat it like a password or a set of keys
- If security has been compromised, regenerate it
- DO NOT store it in public places or shared docs

## Client ID ⓘ


RmdUdkZOVDNfUUVdNXVfbUt1aVE6MTpjaQ  Copy

## Client Secret ⓘ

Kprn9P8\_damligsx7TdS9h2ZnwVgKafxUtOfQRLMaD8Qg-UWGB  Copy

Done

قم بحفظ هذه المعلومات  
Make sure to Save these IDs



## Authentication mapping

Find out which v2 endpoints can be used with which authentication methods.

[View guide](#)



Developer Portal

Dashboard

Projects & Apps

Overview

JustATest

JustATestApp

Products

Account

JUSTATEST

JustATestApp

Settings

Keys and tokens

App details

NAME

JustATestApp

APP ICON

Edit

APP ID

28551163

DESCRIPTION

This information will be visible to people who've authorized your App

This app was created to use the X API.

User authentication settings

User authentication set up

Authentication allows users to log in to your App with Twitter. It also allows your App to make specific requests for authenticated users.

Edit

Authentication docs

Authentication methods

v2 endpoints available with OAuth 2.0

Developer Portal

Dashboard

Projects & Apps

Overview

JustATest

JustATestApp

Products

Account

Docs

Community

Updates

Support

JustATestApp

Settings

Keys and tokens

Consumer Keys

API Key and Secret

Reveal API Key hint

Regenerate

Authentication Tokens

Bearer Token

Generated March 20, 2024

Revoke

Regenerate

Access Token and Secret

For @Abdullah\_Dev115

Generate

OAuth 2.0 Client ID and Client Secret

Client ID

RmdUdkZOVDNFUUVDNXVfbUt1aVE6MTpjaQ

Client Secret

Reveal Client Secret hint

Regenerate

Helpful docs

About Projects

About Apps

About authentication

App permissions

Authentication best practices

API Key

Bearer Tokens

Access Token and Secret









```
5 # Enter your Twitter (X) API tokens below
6 bearer_token = 'AAAAAAAAAAAAAAAAAAAAAAAAAPunswEAAAAA9adUwvTrT3IZ87YVV65dIGrUnJM%3DrA0NZtrpdQNDFHyxozTMpwHlvHbHML9Np4NrAVU68k4lsegPJW'
7 consumer_key = 'Hw2W5hMoChpHTbWjty3I7kMo5' # API key
8 consumer_secret = 'MGu5SNmt49LFNAq0NqmybFuyiAUPTdCon0LYjM0kp9oTo2tv0C' # API Key Secret
9 access_token = '741593522-m7TI5FGMnrysHWdGHZeBNVKUlzBLkQL0RtjFk0YJ'
10 access_token_secret = 'yD8CBHNxLaoF46J00FByzwXFa3xTULIBmLWRj0eTVDhYe'
```

قم بوضع المفاتيح بالكود بالمتغيرات المخصصة  
**Now put the keys in the required variables in code**